


1. ASSURE ASSEMBLY CAPABILITY BY MATCHING WITH MATING PART
2. PACKAGING: TAPE AND REEL FOR THE FRAMES
3. DIMENSIONS SHOWN IN [] ARE IN MILLIMETERS



.208
 5.28


CARRIER TAPE SPECIFICATIONS

PART NUMBER	DESCRIPTION	OVERALL DIMENSION	OVERALL HEIGHT	CARRIER TAPE WIDTH	CARRIER TAPE PITCH	PARTS PER REEL
SMS-455F	FRAME	.750 X .750 (19.05 X 19.05)	.200 (5.08)	32 mm	28 mm	300
SMS-455C	COVER	.744 X .744 (18.90 X 18.90)	.079 (2.00)	N/A	N/A	BULK PACK




THIS DOCUMENT CONTAINS CONFIDENTIAL PROPRIETARY INFORMATION OWNED BY LEADERTECH, OR DEVELOPED AT ITS OWN PRIVATE EXPENSE, AND MAY NOT BE USED, DUPLICATED OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE INCLUDING DESIGN, MANUFACTURE OR PROCUREMENT WITHOUT THE WRITTEN PERMISSION OF LEADERTECH. LEADERTECH DOES NOT GUARANTEE OR WARRANTY THE PERFORMANCE CHARACTERISTICS

ITEM	PART NUMBER	DESCRIPTION	QTY.
1	SMS-455 F	FRAME	1
2	SMS-455 C	COVER	1

UNLESS OTHERWISE SPECIFIED: - ALL DIMENSIONS ARE IN INCHES - PART SHALL BE FREE OF BURRS AND SHARP EDGES - ALL DIMENSIONS SHOWN APPLY AFTER PLATINGS AND COATINGS - RoHS COMPLIANT PER EU DIRECTIVE 2015/863 - POI = POINT OF INTERSECTION		THIRD ANGLE PROJECTION 	 LEADER TECH a HEICO company <i>The Leading Edge in EMI Shielding Technology</i>
TITLE:			
SURFACE MOUNT SHIELD			
SIZE:	DWG. NO.:	REV:	

.XXX +/- .005 .XX +/- .010 .X +/- .020 ANGLES +/- 2°	
DRAWN BY: JG 2016-08-02	APP ENG: ND 2016-08-02
MFG ENG: -	
FINISH: MATTE TIN	
MATERIAL: .008" PRE TIN STEEL	

B	SMS-455	C
SCALE: 2:1	CAGE CODE: 4J674	SHEET: 1 OF 3



THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OWNED BY LEADERTECH, OR DEVELOPED AT ITS OWN PRIVATE EXPENSE, AND MAY NOT BE USED, DUPLICATED OR DISCLOSED IN WHOLE OR IN PART FOR ANY PURPOSE INCLUDING DESIGN, MANUFACTURE OR PROCUREMENT WITHOUT THE WRITTEN PERMISSION OF LEADERTECH. LEADERTECH DOES NOT GUARANTEE OR WARRANTY THE PERFORMANCE CHARACTERISTICS.



SIZE: B	DWG. NO.: SMS-455	REV: C
SCALE: 2:1	CAGE CODE: 4J674	SHEET: 2 OF 3

